

An Analytical Study of Puzzle Selection Strategies for the ESP Game

Ling-Jyh Chen, Bo-Chun Wang, Kuan-Ta Chen
Academia Sinica

Irwin King, and Jimmy Lee
The Chinese University of Hong Kong

How the ESP Game Works?

PLAYER 1



GUESSING: CAR

GUESSING: HAT

GUESSING: KID

SUCCESS!

YOU AGREE ON CAR

PLAYER 2



GUESSING: BOY

GUESSING: CAR

SUCCESS!

YOU AGREE ON CAR

Why is it Important?

- Some statistics (July 2008)
 - 200,000+ players have contributed 50+ million labels.
 - Each player plays for a total of 91 minutes.
 - The throughput is about 233 labels/player/hour (i.e., one label every 15 seconds)

The Ideas behind the ESP Game

- “Human Computation” represents a new paradigm of applications.
 - solve some problems which are difficult to be solved by computers
- “*Games With A Purpose*” (GWAP) – by Dr. Luis von Ahn (CMU)
 - take advantage of people's desire to be entertained
 - produce useful metadata as a by-product

Our Contributions

- We propose an evaluation metric for human computation systems.
- We study the inner properties of the ESP game using analysis.
- We propose an “*Optimal Puzzle Selection Algorithm*” (OPSA).
- We present a comprehensive set of simulation results.
- Our model is easy and applicable to other ESP-like systems.

The Main Ideas

- There are two goals :
 - the system prefers to maximize the number of puzzles which have been played
 - the system prefers to take as many labels as possible for each puzzle
- Unfortunately, there is a trade-off between the two goals.

The Proposed Metric

System Gain (G)

$$= \ln(N) \times \ln(S/N)$$

the number of the puzzles the average score per puzzle

$$r = \frac{T}{N} \Rightarrow N = \frac{T}{r}$$

T : total played rounds
 r : each puzzle should be played
how many times in average

$$\frac{S}{N} = E[S] \times r$$

r : each puzzle should be played
how many times in average
 $E[S]$: the expected score value of
each label

The Proposed Metric

System Gain (G)


$$= \ln(N) \times \ln(S/N)$$

$$= \ln(T/r) \times \ln(E[S] \times r)$$

$$= - \left(\ln(r) - \frac{\ln(T) - \ln(E[S])}{2} \right)^2 + C$$

Maximum G = C, when $r = e^{\frac{\ln(T) - \ln(E[S])}{2}}$

The Proposed Metric




Puzzle Selection Algorithms

- Optimal Puzzle Selection Algorithm (OPSA)
 - select a puzzle based on our analysis
- Random Puzzle Selection Algorithm (RPSA)
 - select a puzzle by random
- Fresh-first Puzzle Selection Algorithm (FPSA)
 - select a puzzle that has been played least frequently

Evaluation

- Using Monte Carlo Simulations
- # of rounds: $T = 10,000$
- # of puzzles: $100 \leq M \leq 5,000$



Conclusion

- We have proposed a metric to evaluate the performance of GWAP.
- We argue that GWAP needs to be “*played with a strategy*”.
- We propose the Optimal Puzzle Selection Algorithm (OPSA) for ESP-like games.

Thank You!

<http://nrl.iis.sinica.edu.tw>